

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: LUAVPG

Page 1 of 1

DOCTOR'S ORDERS	Ht	cm	Wt	kg B	SSAm²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form					
	given:		C	Cycle #:	
Date of Previous Cycle:					
Delay treatment week(s)					
CBC & Diff, Platelets day of treatment					
May proceed with doses as written if within 24 hours ANC <u>greater than or equal to</u> 1.0 x 10 ⁹ /L, Platelets <u>greater than</u> <u>or equal to</u> 100 x 10 ⁹ /L, Creatinine Clearance <u>greater than or equal to</u> 60 mL/minute (if using CISplatin)					
Dose modification for: Hematology Other Toxicity					
Proceed with treatment based on blood work from					
PREMEDICATIONS: Patient to take own supply		st to confirm			
dexamethasone ☐ 8 mg or ☐ 12 mg (select of	•	_		ment on Day 1	 1
AND select aprepitant 125 mg PO 30 to 60 minutes prior to treatment on Day 1, and					
ONE of the ondansetron 8 mg PO 30 to 60 minutes prior to treatment on Day 1					
following: netupitant-palonosetron 300 mg-0.5 mg PO 30 to 60 minutes prior to treatment on Day 1					
ondansetron 8 mg PO 30 to 60 minutes prior to treatment on Day 1					
If additional antiemetic required:					
OLANZapine 2.5 mg or 5 mg or 10) mg (select one	e) PO 30 to 6	0 minutes	s prior to treati	ment on Day 1
Other:					
Have Hypersensitivity Reaction Tray and Protocol Available					
HYDRATION: 1000 mL NS IV over 1 hour prior to CISplatin					
CHEMOTHERAPY:					
gemcitabine ☐ 1250 mg/m² or ☐ 1000 mg/m² (select one) x BSA = mg ☐ Dose Modification: (%) =mg/m² x BSA =mg IV in 250 mL NS over 30 minutes on Day 1 and Day 8					
CISplatin 75 mg/m²/day x BSA = mg Dose Modification: % = mg/m² x BSA = mg IV in 500 mL NS, with potassium chloride 20 mEq, magnesium sulfate 1 g and mannitol 30 g over 1 hour Day 1 OR CARBOplatin AUC 5 or 6 (select one) x (GFR + 25) = mg IV in 100 to 250 mL NS over 30 minutes Day 1 (if using AUC 6, must use gemcitabine 1000 mg/m²)					
DOSE MODIFICATION FOR DAY 8 gemcitabine ☐ 1250 mg/m² or ☐ 1000 mg/m² (select one) x BSA = mg ☐ Dose Modification: (%) = mg/m² x BSA = mg IV in 250 mL NS over 30 minutes					
RETURN APPOINTMENT ORDERS					
Return in three weeks for Doctor and Cycle	. Book (chemo Dav 1	and 8.		
Last Cycle. Return in week(s).		,	-		
CBC & Diff, Platelets, Creatinine, ALT, Bili, Al	k Phos, LDH p	rior to Day 1			
CBC & Diff, Platelets, Creatinine, prior to Day		•			
Other tests:					
☐ Consults:☐ See general orders sheet for additional re	eauests.				
DOCTOR'S SIGNATURE:				SIGNATUR	RE:
				UC:	