Systemic Therapy Update

BC Cancer Agency CARE + RESEARCHAn agency of the Provincial Health Services Authority

May 2011 Volume 14, Number 5

For health professionals who care for cancer patients Available online at www.bccancer.bc.ca/HPI/ChemotherapyProtocols/stupdate

I NSIDE THIS ISSUE

- Editor's Choice Highlights of Changes in Protocols and PPPOs: Aprepitant Dosing Time, Gastrointestinal Tumour Group Protocols; Drug Update – CARBOplatin Shortage; BCCA Compassionate Access Program Update
- Communities Oncology Network Pharmacy Resources on BCCA Website
- List of New and Revised Protocols, Pre-Printed Orders and Patient Handouts - New: GICPART, GIFUART, GIFUPART, UGIGAVCCT, UGIGAVCFT,

GIGAVTR, UMYMPT. Revised: UCNBEV, UGIAVPANI, UGUTIP, LUAVERL, LUAVPEM, ULUAVPMTN, ULUAVPP, LUMMPG, LUMMPP, LYABVD, LYCVPPABO, UMYMPT, MYPAM. Aprepitant Protocols: GOBEP, GOEP, GOOVCIS, GOSMCCRT, UGUAJPG, GUEP, GUNAJPG, UGUTIP, HNAVFUP, HNAVPE, HNNAVFUP, HNNAVPG, HNNLAPG, HNSAVFUP.

Website Resources and Contact Information

EDITOR'S CHOICE

HIGHLIGHTS OF CHANGES IN PROTOCOLS, PRE-PRINTED ORDERS AND PATIENT HANDOUTS

Aprepitant Dosing Time with Multiple Day Chemotherapy Regimens has been standardized in the protocols and PPPOs. Aprepitant is to be given as 125 mg pre-chemotherapy on Day 1 and 80 mg PO once daily in the morning on Days 2 and 3. This is similar to the dosing regimen for single-day chemotherapy because no specific recommendations are available for multiple-day chemotherapy.

The **Gastrointestinal (GI) Tumour Group** has introduced several changes:

- Six new protocol-specific patient information handouts have been developed. With these new additions, all GI treatment protocols are now accompanied by protocol-specific Patient Handouts. This is part of the goal to expand the availability of patient information for the BC Cancer Agency chemotherapy protocols.
- Eligibility of long-acting octreotide for GI neuroendocrine tumours (NETs) As noted in the April issue of the Systemic Therapy Update (www.bccancer.bc.ca/HPI/ChemotherapyProtocols/stupdate), the benefit status of octreotide for this indication is undergoing review. As we continue to work towards resolution of various logistic challenges, NO CHANGE will be implemented at this time. Long-acting octreotide (GIOCTLAR) will remain a class II benefit for patients with metastatic or unresectable NETs of fore, mid and hind gut origin who have functional (secretory) tumours and related symptoms until further notice. Note that monthly doses higher than 30 mg will continue to require Compassionate Access Program (CAP) approval.
- All GI protocols and PPPOs have been revised so the wording is consistent for the timing of blood work.

There is a temporary shortage of CARBOplatin supply from both Canadian manufacturers (Hospira, Teva), tentatively until June 2011. Alternative treatment plans may need to be considered when supplies are exhausted. The following strategies can be considered:

- Prioritize supply for curative or adjuvant therapy
- Choose a non-CARBOplatin containing alternative regimen
- Substitute with CISplatin; if CARBOplatin is used as an option for renally impaired patients treated with CISplatin, consider a non-CISplatin containing alternative regimen or holding CISplatin dose
- Delay the start of the CARBOplatin containing regimen

BCCA COMPASSIONATE ACCESS PROGRAM (CAP) UPDATE

The CAP application process provides access to evidence-based treatments that are indicated in unusual or exceptional clinical circumstances, or are under review for formal implementation, as well as certain funded programs. Approval is on a **case-by-case basis** and each CAP request is reviewed by a CAP pharmacist, a Tumour Group designate and a Provincial Systemic Therapy Program designate. The CAP program has recently been enhanced with features relatto maintaining the anonymity of reviewers and developing a formalized appeal process.

The CAP program will maintain anonymity of the reviewers in all written and/or verbal communication with requestors and/or designates. These changes were adopted in order to preserve the objectivity of the reviewers who are involved in assessing the requests, and to maintain the integrity of the CAP program.

During an appeal process, a requestor can appeal a denied outcome in the form of a new CAP application by including additional supporting clinical information and/or literature evidence. The reapplication must be marked by the requestor as an appeal of a previous application that was previously denied. The appeal will be reviewed by a different Tumour Group or Systemic Program Designate, and the final binding decision will be made by the Provincial Systemic Therapy Program designate.

Requestors are asked to send all questions/clarifications pertaining to an application via email to the CAP mailbox (<u>cap_bcca@bccancer.bc.ca</u>). These will be forwarded to the appropriate designate who may change frequently depending on designate availability. The emails will also allow the CAP office to maintain written documentation on each request.

Further information can be found on our website at: www.bccancer.bc.ca/HPI/ChemotherapyProtocols.

CONTINUING EDUCATION – PHARMACY RESOURCES ON BCCA WEBSITE

The **Pharmacy Resources** section of the BCCA Website has been updated: (www.bccancer.bc.ca/RS/CommunitiesOncologyNetwork/Educators)

- Pharmacy Guide to Chemotherapy: Clinical Assessment and Review, Version 3 (or "Clinical Pharmacy Guide") is now available. This guide was previously known as the "Pharmacy Guide to BC Cancer Agency Chemotherapy Protocols". Changes to version 3 include:
 - The Procedure for Checking Chemotherapy Order section and the corresponding checklist (Appendix A) have been reorganized to a ten-step process.
 - New content has been added to the Laboratory Test Interpretation section. A Lab Test Interpretation table has also been added (Appendix D).

• A new erlotinib case has been added to illustrate the process of checking oral chemotherapy orders.

• New Inservices on the Pharmacy Education Page:

- www.bccancer.bc.ca/RS/CommunitiesOncologyNetwork/Educators/Education)
- Staying on Track with Oral Targeted Therapy Inservice
- Everolimus: New Hope for Patients with Advanced Renal Cell Carcinoma

COMMUNITIES ONCOLOGY NETWORK - SENIOR DIRECTOR

The BC Cancer Agency's Communities Oncology Network (CON) is a collaborative working partnership between all BC Health Authorities' CON sites and the BCCA. Dr. Charles Blanke, BCCA Vice President of Provincial Systemic Therapy, has created the new Senior Director position to support the CON and to develop a stronger relationship and partnership with the Health Authorities.

Johanna den Duyf from the BC Cancer Agency is the new Senior Director. She is excited about the opportunity to work closely with all key stakeholders in the Health Authorities across B.C. Johanna has worked as the Director of Clinical Operations in Systemic Therapy at the Vancouver Island Centre for 13 years and has a keen interest in and passion for community oncology. Johanna will work closely with senior leaders in the Health Authorities and at each of the BCCA Regional Centres across the province to develop a strategic path for a strong and sustainable network of services for cancer patients in British Columbia.

This initiative recognizes the significant contributions of B.C. healthcare organizations and their teams of dedicated professionals who ensure that cancer care services are available to patients and their care providers in the appropriate setting at the appropriate time.

LIST OF NEW AND REVISED PROTOCOLS, PRE-PRINTED ORDERS AND PATIENT HANDOUTS

BC Cancer Agency Protocol Summaries, Provincial Pre-Printed Orders (PPPOs) and Patient Handouts are revised periodically. New, revised or deleted protocols, PPPOs and patient handouts for this month are listed below. Protocol codes for treatments requiring "Compassionate Access Program" (previously Undesignated Indications Request) approval are prefixed with the letter U.

NEW PROTOCOLS, PPPOS AND PATIENT HANDOUTS (AFFECTED DOCUMENTS ARE CHECKED):

CODE	Protocol	PPPO	Patient Handout	Protocol Title
GICPART			\mathbf{N}	Curative-intent combined modality therapy for cancer of the anal canal, using CISplatin, capecitabine and radiation therapy
GIFUART				Curative-intent combined treatment for cancer of the anal canal using mitomycin, infusional fluorouracil and radiation therapy
GIFUPART				Curative-intent combined treatment for cancer of the anal canal using CISplatin, infusional fluorouracil and radiation therapy
UGIGAVCCT			L	Palliative treatment of metastatic or inoperable, locally advanced stomach or stomach-esophagus junction cancer using CISplatin, capecitabine and trastuzumab

CODE	Protocol	PPPO	Patient Handout	Protocol Title
UGIGAVCFT			V	Palliative treatment of metastatic or inoperable, locally advanced stomach or stomach-esophagus junction cancer using CISplatin, infusional flurouracil and trastuzumab
GIGAVTR			\checkmark	Palliative treatment of metastatic or inoperable, locally advanced stomach or stomach-esophageal junction cancer using trastuzumab
UMYMPT		\checkmark		Treatment of multiple myeloma using melphalan, prednisone and thalidomide

REVISED PROTOCOLS, PPPOS AND PATIENT HANDOUTS (AFFECTED DOCUMENTS ARE CHECKED):

CODE	Protocol	PPPO	Patient Handout	Changes	Protocol Title	
UCNBEV	\checkmark			Eligibility clarified	Palliative Therapy for Recurrent Malignant Gliomas Using Bevacizumab	
UGIAVPANI	\checkmark			Eligibility clarified for patients with hepatic impairment	Palliative third line treatment of metastatic colorectal cancer using panitumumab	
UGUTIP	V			Premedications added for PACLitaxel, reformatted for TALLman lettering	Advanced therapy for relapsed testicular germ cell cancer using PACLitaxel, Ifosfamide and CISplatin (TIP)	
LUAVERL		\mathbf{V}		LDH added to Tests section Treatment of advanced non-small cell lung can (NSCLC) with erlotinib		
LUAVPEM	\checkmark	\checkmark		Eligibility clarified, LDH added to Tests section	Second-line treatment of advanced non-small cell lung cancer (NSCLC) with pemetrexed	
ULUAVPMTN		\mathbf{V}		LDH added to Tests Maintenance therapy of advanced non-smallung cancer (NSCLC) with pemetrexed		
ULUAVPP	V	\checkmark		<i>Eligibility clarified,</i> <i>LDH added to Tests</i> <i>section</i> <i>First-line treatment of advanced non-small</i> <i>lung cancer with platinum and pemetrexed</i>		
LUMMPG		\mathbf{V}		LDH added to Tests section	Treatment of malignant mesothelioma with platinum and gemcitabine	
LUMMPP		\checkmark		LDH added to Tests section	Treatment of malignant mesothelioma with platinum and pemetrexed	
LYABVD	\checkmark	\checkmark		ANC threshold revised	evised Treatment of Hodgkin lymphoma with DOXOrubicin, bleomycin, vinBLAStine, and dacarbazine	
LYCVPPABO	\checkmark			Treatment duration and PET scan clarified	Treatment of Hodgkin lymphoma with cyclophosphamide, vinBLAStine, procarbazine and prednisone	
UMYMPT	V	V		Eligibility, dosing, references and access procedure for thalidomide updated	Treatment of multiple myeloma using melphala n, prednison e and thalidomid e	

CODE	Protocol	PPPO	Patient Handout	Changes	Protocol Title
МҮРАМ	\checkmark			Reference clarified	Treatment of multiple myeloma with pamidronate

REVISED PROTOCOLS AND PPPOS RELATED TO STANDARDIZING APREPITANT DOSING TIME

CODE	Protocol	PPPO	Protocol Title
GOBEP		V	Therapy of non-dysgerminomatous ovarian germ cell cancer using bleomycin, etoposide and CISplatin
GOEP		\mathbf{V}	Therapy of dysgerminomatous ovarian germ cell cancer using CISplatin and etoposide
GOOVCIS		\mathbf{V}	Therapy for invasive epithelial ovarian cancer using CISplatin
GOSMCCRT		\mathbf{V}	Treatment of small cell or neuroendocrine carcinoma of gynecologic system origin using PACLitaxel, CISplatin, etoposide and CARBOplatin with radiation
UGUAJPG		\mathbf{V}	Adjuvant therapy for urothelial carcinoma using CISplatin and gemcitabine
GUEP		$\mathbf{\nabla}$	Therapy for nonseminoma germ cell cancer using etoposide-CISplatin
GUNAJPG	V		Neo-adjuvant therapy for urothelial carcinoma using CISplatin and gemcitabine
UGUTIP		V	Advanced therapy for relapsed testicular germ cell cancer using PACLitaxel, Ifosfamide and CISplatin (TIP)
HNAVFUP	V	$\mathbf{\nabla}$	Treatment for advanced nasopharyngeal cancer of the head and neck using CISplatin and fluorouracil
HNAVPE		$\overline{\mathbf{A}}$	Treatment for intensive CISplatin and etoposide chemotherapy for recurrent and metastatic head and neck cancer (squamous cell carcinoma)
HNNAVFUP		$\overline{\mathbf{A}}$	Intensive CISplatin and etoposide chemotherapy for recurrent and metastatic head and neck cancer (nasopharyngeal)
HNNAVPG	V	V	Treatment of locoregionally recurrent and/or metastatic nasopharyngeal cancer with CISplatin and gemcitabine
HNNLAPG		V	Induction treatment of locally advanced nasopharyngeal cancer with CISplatin and gemcitabine
HNSAVFUP	V		Treatment for advanced nasopharyngeal cancer of the head and neck using CISplatin and fluorouracil

WEBSITE RESOURCES AND CONTACT INFORMATION

WEBSITE RESOURCES	WW	w.bccancer.bc.ca		
REIMBURSEMENT AND FORMS: BENEFIT DRUG LIST, CLASS II,	www.bccancer.bc.ca/HPI/ChemotherapyProtocols/Forms			
BC CANCER AGENCY COMPASSIONATE ACCESS PROGRAM				
CANCER DRUG MANUAL	www.bccancer.bc.ca/co	www.bccancer.bc.ca/cdm		
CANCER MANAGEMENT GUIDELINES	www.bccancer.bc.ca/C	aMgmtGuidelines		
CANCER CHEMOTHERAPY PROTOCOLS, PRE-PRINTED	www.bccancer.bc.ca/C	hemoProtocols		
ORDERS, PROTOCOL PATIENT HANDOUTS				
SYSTEMIC THERAPY PROGRAM POLICIES	www.bccancer.bc.ca/H	PI/ChemotherapyProtocols/Policies		
SYSTEMIC THERAPY UPDATE	www.bccancer.bc.ca/H	PI/ChemotherapyProtocols/stupdate		
CONTACT INFORMATION	www.bccancer.bc.ca	bulletin@bccancer.bc.ca		
BC CANCER AGENCY	(604) 877-6000	Toll-Free 1-(800) 663-3333		
PROVINCIAL SYSTEMIC THERAPY PROGRAM	Ext 2247	mlin@bccancer.bc.ca		
COMMUNITIES ONCOLOGY NETWORK BUSINESS AFFAIRS	Ext 2744	david.leung@bccancer.bc.ca		
UPDATE EDITOR	Ext 2288	mdelemos@bccancer.bc.ca		
COMMUNITIES ONCOLOGY NETWORK PHARMACY EDUCATORS				
		ncologyNetwork/Educators/Pharmacists/		
COMPASSIONATE ACCESS PROGRAM OFFICE	Ext 6277 Fax (604) 708-2026	cap_bcca@bccancer.bc.ca		
Drug Information		druginfo@bccancer.bc.ca		
EDUCATION RESOURCE NURSE		nursinged@bccancer.bc.ca		
NURSING PROFESSIONAL PRACTICE	Ext 2623			
LIBRARY/CANCER INFORMATION		requests@bccancer.bc.ca		
	Ext 8003			
OSCAR HELP DESK	1-(888)-355-0355 Fax (604) 708-2051	oscar@bccancer.bc.ca		
PHARMACY CHEMOTHERAPY CERTIFICATION	(250) 712-3900 Ext 686741	rxchemocert@bccancer.bc.ca		
PHARMACY PROFESSIONAL PRACTICE	(250) 519.5574	jkippen@bccancer.bc.ca		
ABBOTSFORD CENTRE (AC)	(604) 851-4710	Toll-free: 1-(877) 547-3777		
CENTRE FOR THE SOUTHERN INTERIOR (CCSI)		Toll-Free 1-(888) 563-7773		
FRASER VALLEY CENTRE (FVCC)	(604) 930-2098	Toll-Free 1-(800) 523-2885		
VANCOUVER CENTRE (VCC)	(604) 877-6000	Toll-Free 1-(800) 663-3333		
VANCOUVER ISLAND CENTRE (VICC)	. ,	Toll-Free 1-(800) 670-3322		

Editorial Review Board

Mário de Lemos, PharmD, MSc (Oncol) (Editor) Johanna Den Duyf, MA Judy Oliver, BScN, MEd Beth Morrison, MLS Caroline Lohrisch, MD Sally Man, PharmD Jaya Venkatesh, MHA, CMA Susan Walisser, BSc (Pharm)